

I CLAIM:

1. A wall organizer, comprising:

a) a first slatwall member having a plurality of first
5 grooves having a first center-to-center groove spacing between
said first grooves, said first slatwall member is secured to a
wall;

b) a second slatwall member having a plurality of
second grooves having a second center-to-center groove spacing
10 between said second grooves, said second slatwall member is
secured to said wall above or below said first slatwall member;
and

c) at least another first or second slatwall member
secured to said wall above or below one of said first and second
15 slatwall members.

2. A wall organizer as in claim 1, wherein said first and
second grooves are T-shaped in cross-section.

3. A wall organizer as in claim 1, wherein said first
slatwall member includes means for interlocking with another
20 first slatwall member.

4. A wall organizer as in claim 1, wherein said second
slatwall member includes means for interlocking with another
second slatwall member.

5. A wall organizer as in claim 1, wherein:

a) said first slatwall member includes means for
25 interlocking with said second slatwall member; and

b) said second slatwall member includes means for interlocking with said first slatwall member.

6. A wall organizer as in claim 1, wherein said first slatwall member is joined to said second slatwall member with a
5 rabbet joint.

7. A wall organizer as in claim 1, wherein:

a) said first slatwall member includes a first bottom and a first top peripheral edge;

b) said first top peripheral edge includes a first
10 rabbet slot; and

c) said first bottom peripheral edge of an adjacent first slatwall member fits within said first rabbet slot.

8. A wall organizer as in claim 1, wherein:

a) said second slatwall member includes a second
15 bottom and a second top peripheral edge;

b) said top peripheral edge includes a second rabbet slot; and

c) said second bottom peripheral edge of an adjacent second slatwall member fits within said second rabbet slot.

20 9. A wall organizer as in claim 1 wherein said first slatwall member includes a basewall portion and a plurality of T-shaped rib portions secured to said basewall portion.

10. A wall organizer as in claim 1, wherein said second slatwall member includes a number of Pi-shaped portions joined
25 to each other by a basewall portion.

11. A wall organizer as in claim 1, wherein said first and second slatwall members are extruded plastic.

12. A wall organizer, comprising:

a) a first slatwall member having a plurality of first
5 grooves having a first center-to-center groove spacing between said first grooves, said first slatwall member is secured to a wall;

b) a second slatwall member having a plurality of second grooves having a second center-to-center groove spacing
10 between said second grooves, said second slatwall member is secured to said wall above or below said first slatwall member; and

c) a shelf member secured to said wall below said first or second slatwall member.

15 13. A wall organizer as in claim 12, wherein said shelf member includes an inclined shelf portion with a transverse wall portion.

14. A wall organizer as in claim 12, wherein said first shelf member includes means for interlocking with said first or
20 second slatwall member.

15. A wall organizer as in claim 12, wherein:

a) said includes a top portion having recess; and

b) said first bottom peripheral edge or said second bottom peripheral edge is received within said recess.